



Sampling: 44100 Hz  
FFT size: 16384  
Averaging: 20  
Window: Blackman

EUMIG FL-1000uP sn: 8362222  
Distortion K3 at 333Hz, type I cassette TDK AD90



Printed by: SpectraLAB - FFT Spectral Analysis System  
Licensed to: Peter  
Wed Jan 09 16:39:53 2019



Sampling: 44100 Hz  
FFT size: 16384  
Averaging: 20  
Window: Blackman

EUMIG FL-1000uP sn: 8362222  
Distortion K3 at 333Hz, type II cassette TDK SA90


Printed by: SpectraLAB - FFT Spectral Analysis System  
Licensed to: Peter  
Wed Jan 09 16:40:44 2019



Sampling: 44100 Hz  
FFT size: 65536  
Averaging: 20  
Window: Hamming

EUMIG FL-1000uP sn: 8362222  
Frequency response, type I cassette TDK AD90


Printed by: SpectraLAB - FFT Spectral Analysis System  
Licensed to: Peter  
Wed Jan 09 16:42:36 2019



Sampling: 44100 Hz  
FFT size: 65536  
Averaging: 20  
Window: Hamming

EUMIG FL-1000uP sn: 8362222  
Frequency response, type II cassette TDK SA90


Printed by: SpectraLAB - FFT Spectral Analysis System  
Licensed to: Peter  
Wed Jan 09 16:45:33 2019



Sampling: 44100 Hz  
FFT size: 65536  
Averaging: 20  
Window: Hanning

EUMIG FL-1000uP sn: 8362222  
Noise analysis, mode: REC, type I cassette TDK AD90, HighCom OFF, no input sign


Printed by: SpectraLAB - FFT Spectral Analysis System  
Licensed to: Peter  
Wed Jan 09 16:50:50 2019



Sampling: 44100 Hz  
FFT size: 65536  
Averaging: 20  
Window: Hanning

EUMIG FL-1000uP sn: 8362222  
Noise analysis, mode: REC, type I cassette TDK AD90, HighCom ON, no input sign


Printed by: SpectraLAB - FFT Spectral Analysis System  
Licensed to: Peter  
Wed Jan 09 16:50:17 2019



Sampling: 44100 Hz  
FFT size: 65536  
Averaging: 20  
Window: Hanning

EUMIG FL-1000uP sn: 8362222  
Noise analysis, mode: REC, type II cassette TDK SA90, HighCom OFF, no input sig


Printed by: SpectraLAB - FFT Spectral Analysis System  
Licensed to: Peter  
Wed Jan 09 16:51:40 2019



Sampling: 44100 Hz  
FFT size: 65536  
Averaging: 20  
Window: Hanning

EUMIG FL-1000uP sn: 8362222  
Noise analysis, mode: REC, type II cassette TDK SA90, HighCom ON, no input sig

Printed by: SpectraLAB - FFT Spectral Analysis System  
Licensed to: Peter  
Wed Jan 09 16:52:02 2019






Sampling: 44100 Hz  
FFT size: 65536  
Averaging: 20  
Window: Hanning

EUMIG FL-1000uP sn: 8362222  
Noise analysis, mode: PAUSE


Printed by: SpectraLAB - FFT Spectral Analysis System  
Licensed to: Peter  
Wed Jan 09 16:53:42 2019



Sampling: 44100 Hz  
FFT size: 65536  
Averaging: 20  
Window: Hanning

EUMIG FL-1000uP sn: 8362222  
Noise analysis, mode: SOURCE, no input signal


Printed by: SpectraLAB - FFT Spectral Analysis System  
Licensed to: Peter  
Wed Jan 09 16:53:17 2019



Sampling: 44100 Hz  
FFT size: 65536  
Averaging: 20  
Window: Hanning

EUMIG FL-1000uP sn: 8362222  
Erase efficiency, erased signal 1kHz@0dBu, type I cassette AD90

Printed by: SpectraLAB - FFT Spectral Analysis System  
Licensed to: Peter  
Wed Jan 09 16:58:29 2019



Sampling: 44100 Hz  
FFT size: 65536  
Averaging: 20  
Window: Hanning

EUMIG FL-1000uP sn: 8362222  
Erase efficiency, erased signal 1kHz@0dBu, type II cassette SA90

Printed by: SpectraLAB - FFT Spectral Analysis System  
Licensed to: Peter  
Wed Jan 09 17:00:42 2019

